Information for users

PPE CATEGORY II

EN 420+A1:2009 EN 388:2016 Read the instructions carefully. **I**

In accordance with the requirements of the Regulation (EU) 2016/425.

Product:

Protective gloves knitted. Polyester soaked in Polyurethane (PU).

	Design:	"BRIT	TA TOUCH"	Code:	3440 049	9 166 XX	Size:	7, 8, 9, 10		
ĺ	Material:	erial: 100 % Polyester, palm and fingers Polyurethane.								
Purpose: They may serve as a protection of hands against dirt and protection in the working areas where workers have to face minor mechanical hazards (abrasions, soiling), for example when handling small loads. Put the gloves on dry, clean hands.										
1	The gloves were tested in accordance with EN 388 - mechanical hazards (The higher the number, the higher the protection factor)									
	A (0-4)		Abrasion resistance:	Performance	ce level 2		-	ks only against the specified		
]	B (0-5) C (0-4) D (0-4)		Blade cut resistance (coupe	test) Performance	ce level 1		hazards. Do not use the gloves as a protection			
(Tear resistance	Performance	Performance level 3		against different hazards and classes. The results apply only for the model classes, not for			
]			Puncture resistance	Performance	ce level 1	\sim	the protection levels (classes). The protection			
]	E (A-F)		Cut Resistance (TDM)	Performance	ce level X	A.B.C.D.E.F		e determined based on the		
]	F(P/X) or no	othing	Impact protection	Performance	ce level X			in accordance with the		
EN 420 - protective gloves (general requirements) conditions determined in the valid standards specified here. As for the gloves with two or										
((1-5)	-5) Dexterity			ce level 5		more layers it does not necessarily			
	X'' = test no	t perforn	ned or not applicable	properties of the outer layer.						

Please note: The user must check the gloves before and after use to verify that they are in the required condition. Do not use as a protection against different hazards and classes. Do not use the gloves for handling with sharp objects, flames or hot or heated objects, toxic chemicals or greasy objects. Not resistant to soaking.

It is not allowed to wear these gloves in cases with risk of entanglement with moving parts of machines. Due to the dulling of the blade during the cut resistance test (B) the results of the cut tests are only indicative, while the TDM (E) cut resistance test is the result of the reference design. The gloves comply with the requirements for puncture resistance. However, they are not meant for protection against thin, sharp objects, such as injection needles. The mentioned facts may help the user for rational use of this type of protective gloves. It is the responsibility of every user to judge, whether the gloves are used in suitable conditions.

Maintenance, lifetime: After use, make sure the gloves are removed from all pollutants. Thus, you will extend their lifespan. The gloves are designed for single or short-term use only. Dry a damp muff further away from sources of heat at the room temperature. Wash in hand, max wash bath temperature 40 °C. Any dirt should be brushed out using a soft brush. Do not clean chemically, bleach, dry in a tumble dryer, or iron. Worn through, burned through, strongly fouled or stiffened pairs have to be replaced with new ones. We are not responsible for any reduction of the protective function due to incorrect care. Under suitable storage conditions, shelf life is 2 years.

Storing and transport: Storing in a clean, dry and ventilated place at the room temperature, without any contamination by moisture, dirt, mould, or other agents reducing the level of protection. Do not expose it to solar radiation. The supplier doesn't provide warranty for such damage. Carry them preferably in original package.

Accessories: The product is supplied without accessories.

Dangerous admixtures: Materials which come into contact with the user's skin can cause an allergic reaction in sensitive individuals. Contains traces of DMFo in compliance with occupational exposure limits. If skin irritation or allergic reaction do not use gloves and contact your doctor immediately.

Disposal: Dispose of used gloves with respect of the soiling level according to the applicable disposal regulations and the regulations of the local authority. Unused gloves can be disposed of with domestic waste.

The Notified Body that performs conformity assessment:

Notified Body No. 0075, CTC 4 rue Hermann Frenkel 69367 Lyon cedex 07 France.

The Declaration of Conformity can be found here: www.canis.cz; for individual products, in the bar "Documents to download".

Marking (sample) - description:							
BRITA TOUCH	Type of gloves	í.	Symbol indicating the necessity to read the instructions				
10	Size	"А"	Identification production				
EN388	Pictogram and number of the standard that the product complies with	€ ⊂∞si	Manufacturer identification				
2131X	Results of the tests carried out	4/2020	Month and year of production				
CE	Conformity mark	ZA/2020/XXX CAT II	Lot - Mark / year / number Glove category				

If you need more information, please contact:



Poděbradská 260/59, Hloubětín, 198 00 Praha 9, Czech Republic.