Information for users

B (0-5) Cut resistance Performance level 2 protection against difference difference C (0-4) Tear resistance Performance level 2 A.B.C.D. protection against difference D (0-4) Puncture resistance Performance level 2 A.B.C.D. model classes, not for protection levels (classes) EN 511 – Protective gloves against cold Performance level 2 The protection levels (classes)	EN 420:200)3+A1:20)9 EN 388	8:2003	EN 511:2006					PPE	CATEGORY II		
Design:"ZORO WINTER"Code:3700 006 000 XXSize:9, 11Production design:21201010Material:Back and cuff – 100% Cotton cloth, palm and finger - pig split leather, Polyester plush lining.Purpose: They may serve as a protection of hands against dirt and protection in the working areas where workers have to face mechanical ha also at the cold environments. Put the gloves on dry, clean hands.The gloves were tested in accordance with EN 388 - mechanical hazards (The higher the number, the higher the protection factor)The protection works on against the specified hazard Do not use the gloves as protection against differ hazards and classes. The results apply only for model classes, not for protection levels (classed The protection levels (classed The protection levels (classed The protection levels (classed)				•		Con	plies with	the requir	ements of th	e Regulatio	on (EU) 2016/425	5	
Purpose: They may serve as a protection of hands against dirt and protection in the working areas where workers have to face mechanical harals also at the cold environments. Put the gloves on dry, clean hands. The gloves were tested in accordance with EN 388 - mechanical hazards (The higher the number, the higher the protection factor) The protection factor A (0-4) Abrasion resistance Performance level 3 B (0-5) Cut resistance Performance level 2 C (0-4) Tear resistance Performance level 2 D (0-4) Puncture resistance Performance level 2 EN 511 – Protective gloves against cold Performance level X A.B.C.D.	Design:			0	3700 006 00	00 XX	Size:	9, 11	Production	design:	21201010		
also at the cold environments. Put the gloves on dry, clean hands. The gloves were tested in accordance with EN 388 - mechanical hazards (The higher the number, the higher the protection factor) The protection works on against the specified hazard against the specified hazard against the specified hazard against the gloves against the gloves against cold A (0-4) Abrasion resistance Performance level 3 B (0-5) Cut resistance Performance level 2 C (0-4) Tear resistance Performance level 2 D (0-4) Puncture resistance Performance level 2 EN 511 – Protective gloves against cold Performance level X A.B.C.D. Protection levels (classes) The protection levels (classes)	Material:	Back and	l cuff – 100% C	Cotton cloth,	, palm and fing	ger - pig split	leather, Po	lyester plu	sh lining.		.1		
the protection factor) against the specified hazar A (0-4) Abrasion resistance Performance level 3 B (0-5) Cut resistance Performance level 2 C (0-4) Tear resistance Performance level 2 D (0-4) Puncture resistance Performance level 2 EN 511 – Protective gloves against cold Performance level 2 A.B.C.D. Protection levels (classes) The protection levels (classes)							in the worl	king areas	where workers	s have to fac	e mechanical haz	zards	
A (0-4)Abrasion resistancePerformance level 3B (0-5)Cut resistancePerformance level 2C (0-4)Tear resistancePerformance level 2D (0-4)Puncture resistancePerformance level 2EN 511 – Protective gloves against coldPerformance level 2A.B.C.D.Performance level 2D (0-4)Performance level 2EN 511 – Protective gloves against coldPerformance level 2D (0-4)Performance level 2EN 511 – Protective gloves against coldPerformance level X	0											-	
D (0-5) Cut resistance Performance level 2 A.B.C.D. C (0-4) Tear resistance Performance level 2 A.B.C.D. D (0-4) Puncture resistance Performance level 2 A.B.C.D. EN 511 – Protective gloves against cold Performance level X The protection levels (classed)	-			nce	Performance level 3					Do not use the gloves as a			
C (0-4) Tear resistance Performance level 2 A.B.C.D. results apply only for model classes, not for protection levels (classes) D (0-4) Puncture resistance Performance level 2 A.B.C.D. model classes, not for protection levels (classes) EN 511 – Protective gloves against cold Performance level X The protection levels (classes)	B (0-5)	C	ut resistance				e level 2	level 2	<u> </u>	protection against different			
D (0-4) Puncture resistance Performance level 2 A.B.C.D. model classes, not for EN 511 – Protective gloves against cold protection levels (classe Parformance level X Performance level X The protection levels	C (0-4)	Т	ear resistance				e level 2	7	ノ				
Protection Protective goves against cond	D (0-4)	Р	uncture resistan	nce		Performance	e level 2	A.B	.C.D.	model cla	asses, not for the	the	
Deformance level V	EN 511 – F	EN 511 – Protective gloves against cold							•		· ·		
a (0-4) Resistance to convective cold Performance fever A (classes) are determined	a (0-4)		esistance to cor	nvective col	ld Performance		elevel X	evel X		F F F F F F F F F F F F F F F F F F F			
	b (0-4)		esistance to cor	ntact cold	Performanc		e level 2	(X	(栞)		based on the tests carried out		
C (0 or 1) Water penetration Performance level X a b c conditions determined in	C (0 or 1)	W	ater penetration	n		Performance	e level X	a.b	.c.	conditions	determined in the		
	EN 420 - protective gloves (general requirements)							valid standards specified here. As for the gloves with					
(1-5) Dexterity Performance level 3 two or more layers it does not all a second	(1-5)	Ľ	exterity			Performance	e level 3				-		
					1.6				1 1	properties	of the outer layer		

Please note: The user must check the gloves before and after use to verify that they are in the required condition. Do not use as a protection against different hazards and classes. Do not use for manipulating hot or heated objects, toxic chemicals or greasy objects. Gloves material may be damaged by oil, mineral oil, greasy and solvent organic. Not resistant to soaking. Gloves can when soaked lose their insulating properties.

It is not allowed to wear these gloves in cases with risk of entanglement with moving parts of machines. The mentioned facts may help the user for rational use of this type of protective gloves. It is the responsibility of every user to judge, whether the gloves are used in suitable conditions. **Maintenance, lifetime:** After use, make sure the gloves are removed from all pollutants. Thus, you will extend their lifespan. The gloves are designed for single or short-term use only. Dry a damp muff further away from sources of heat at the room temperature. Washing or dry cleaning is not recommended. Any dirt should be brushed out using a soft brush. Do not clean chemically, bleach, dry in a tumble dryer, or iron. Worn through, burned through, strongly fouled or stiffened pairs have to be replaced with new ones. We are not responsible for any reduction of the protective function due to incorrect care. Under suitable storage conditions, shelf life is 2 years.

Storing and transport: Storing in a clean, dry and ventilated place at the room temperature, without any contamination by moisture, dirt, mould, or other agents reducing the level of protection. Do not expose it to solar radiation. The supplier doesn't provide warranty for such damage. Carry them preferably in original package.

Accessories: The product is supplied without accessories.

Dangerous admixtures: Materials which come into contact with the user's skin can cause an allergic reaction in sensitive individuals. It may contain trace amounts of chromium - leather is tanned with chromium. If skin irritation or allergic reaction contact, do not use gloves and seek medical advice.

Disposal: Dispose of used gloves with respect of the soiling level according to the applicable disposal regulations and the regulations of the local authority. Unused gloves can be disposed of with domestic waste.

The Notified Body that performs conformity assessment:

Notified Body No. 0075, CTC 4 rue Hermann Frenkel 69367 Lyon cedex 07 France.

The Declaration of Conformity can be found here: www.canis.cz; for individual products, in the bar "Documents to download".

Marking - example:				
"ZORO WINTER"	Type of gloves			
11	Size	3700 006 000 11		
EN388	Pictogram and number of the standard that the product complies with	ZORO WINTER CE EN511 EN388 EN420		
3222 X2X	Results of the tests carried out			
CE	Conformity mark	X2X 3222 cat II Vepřívnícová štípenka, 100% bavlna, podšivka z plyše Bravkova štípenka, 100% bavlna, podšivka z plyšu. Pis gplit leather, 100% bavlna, plush lining. Dvolna svinska, 100% bavelna, podszevka pluszova. 100% bavlna, podszevka pluszova. B/2017/143 0S 8 5 9 1 9 4 0 3 0 5 1 5 4		
cat II	Glove category			
Í Ì Ì	Symbol indicating the necessity to read the instructions			
"OS"	Production identification			
21201010	Production design			
(Des	Manufacturer identification			
		- 1		



